

Continental 

The Future in Motion



Forhandlerprislister

Lastvognsdæk

Gældende per 1. januar 2024

GERMAN

TECHNOLOGY

Størrelse	Anvendelse	LI/SI	Mønster	Artikel-nummer	Mønster dybde				dB	Kr.	Bemærkninger
15 tommer											
7.50 R 15	Regional	135/133G (134/132K)	HTR+	0492058	12,1	D	C	A	71	3.968,00	M+S
8.25 R 15	Regional	143/141G (141/140K)	HTR+	0492062	12,6	D	C	A	71	4.809,00	M+S
205/70 R 15	Regional	124/122K	HTR	0414065	11,5	D	C	A	70	4.577,00	
16 tommer											
7.50 R 16	Off Road	116/114N	HSO+ SAND	0412181	14,0					3.170,00	M+S
17.5 tommer											
8.5 R 17.5	Regional	121/120L	LSR1+	0412044	12,2					3.286,00	
9.5 R 17.5	Regional	129/127L	LSR1	0412170	12,7	D	C	A	70	4.408,00	
9.5 R 17.5	Regional	129/127L	LDR1	0422166	15,6	E	C	B	74	4.408,00	M+S
9.5 R 17.5	Construction	129/127L (131/128K)	LSC	0415008	14,3	D	C	A	71	4.585,00	M+S
10 R 17.5	Regional	134/132L	LSR1	0412091	13,7	D	B	A	70	5.130,00	
10 R 17.5	Regional	134/132L	LDR1	0422074	16,2	D	C	B	74	5.130,00	M+S
205/75 R 17.5	Regional	124/122M	Conti Hybrid LS3	0412190	11,9	C	C	A	71	3.513,00	M+S
205/75 R 17.5	Regional	124/122M	Conti Hybrid LD3	0422162	14,8	D	C	B	74	3.513,00	M+S
215/75 R 17.5	Regional	126/124M	Conti Hybrid LS3	0412189	12,4	D	C	A	71	3.170,00	M+S
215/75 R 17.5	Regional	126/124M	Conti Hybrid LD3	0422159	15,3	D	C	B	74	3.170,00	M+S
215/75 R 17.5	Regional	135/133K	HTR2+	0492092	11,9	C	C	A	71	3.596,00	M+S
215/75 R 17.5	Winter	126/124M	Conti Scandinavia LS3	0413003	12,9	D	C	B	73	3.428,00	M+S
215/75 R 17.5	Winter	126/124M	Conti Scandinavia LD3	0423000	15,3	D	C	B	75	3.428,00	M+S
215/75 R 17.5	Winter	135/133K	Conti Scandinavia HT3	0492005	11,9	D	C	B	72	3.889,00	M+S
225/75 R 17.5	Regional	129/127M	Conti Hybrid LS3	0412194	12,4	C	C	A	71	3.758,00	M+S
225/75 R 17.5	Regional	129/127M	Conti Hybrid LD3	0422158	15,3	D	C	B	76	3.758,00	M+S
235/75 R 17.5	Regional	132/130M	Conti Hybrid LS3	0412192	12,9	C	C	A	71	4.213,00	M+S
235/75 R 17.5	Regional	132/130M	Conti Hybrid LD3	0422164	16,5	D	C	B	76	4.213,00	M+S
235/75 R 17.5	Regional	143/141K (144/144F)	HTR2+	0492093	12,4	C	C	A	71	4.172,00	M+S
235/75 R 17.5	Winter	132/130M	Conti Scandinavia LS3	0413002	12,9	C	C	B	73	4.747,00	M+S
235/75 R 17.5	Winter	132/130M	Conti Scandinavia LD3	0423001	15,8	D	C	B	75	4.747,00	M+S
235/75 R 17.5	Winter	143/141K (144/144F)	Conti Scandinavia HT3	0533002	12,4	D	C	B	72	4.842,00	M+S
245/70 R 17.5	Regional	136/134M	Conti Hybrid LS3	0412191	12,9	C	C	A	71	4.460,00	M+S
245/70 R 17.5	Regional	136/134M	Conti Hybrid LD3	0422161	15,8	D	C	B	76	4.460,00	M+S
245/70 R 17.5	Regional	143/141L (146/146F)	HTR2+	0492094	12,4	C	C	A	71	4.560,00	M+S
245/70 R 17.5	Winter	143/141L (146/146F)	Conti Scandinavia HT3	0533003	12,4	D	C	B	72	5.031,00	M+S
265/70 R 17.5	Regional	139/136M	Conti Hybrid LS3	0412193	12,9	C	C	A	71	5.257,00	M+S
265/70 R 17.5	Regional	139/136M	Conti Hybrid LD3	0422163	15,8	D	C	B	76	5.257,00	M+S
265/70 R 17.5	Off Road	139/136M	LCS	0496016	15,8	D	C	A	74	5.459,00	M+S

Størrelse	Anvendelse	LI/SI	Mønster	Artikelnummer	Mønster dybde				dB	Kr.	Bemærkninger
17.5 tommer											
205/65 R 17.5	Regional	132/130J (133/133G)	HTR2+	0492091	11,5	D	C	A	70	3.844,00	M+S
19.5 tommer											
245/70 R 19.5	Regional	136/134M	Conti Hybrid HS3	0512866	12,4	C	C	A	69	4.657,00	M+S
245/70 R 19.5	Regional	136/134M	Conti Hybrid HD3	0522090	15,3	D	C	B	74	4.657,00	M+S
245/70 R 19.5	Regional	141/140K	Conti Hybrid HT3 +	0532280	12,4	C	C	B	73	4.756,00	M+S
245/70 R 19.5	Urban	136/134M	Conti Urban HA3	0514089	14,3	C	C	A	70	4.654,00	M+S
265/70 R 19.5	Regional	140/138M	Conti Hybrid HS3	0512865	12,9	C	C	A	69	4.609,00	M+S
265/70 R 19.5	Regional	140/138M	Conti Hybrid HD3	0522554	15,8	D	C	B	76	4.609,00	M+S
265/70 R 19.5	Regional	143/141K	Conti Hybrid HT3 +	0532278	12,9	C	C	B	73	4.787,00	M+S
265/70 R 19.5	Urban	140/138M	Conti Urban HA3	0565151	14,3	C	C	A	70	5.008,00	M+S
265/70 R 19.5	Winter	140/138M	Conti Scandinavia HS3	0513021	14,3	C	C	B	73	4.890,00	M+S
265/70 R 19.5	Winter	140/138M	Conti Scandinavia HD3	0513016	15,8	D	C	B	75	4.890,00	M+S
265/70 R 19.5	Winter	143/141K	Conti Scandinavia HT3	0532156	14,3	D	C	B	72	4.979,00	M+S
285/70 R 19.5	Regional	146/144M	Conti Hybrid HS3	0512863	13,4	C	C	A	69	5.786,00	M+S
285/70 R 19.5	Regional	146/144M	Conti Hybrid HD3	0522088	16,2	C	C	B	74	5.786,00	M+S
285/70 R 19.5	Regional	150/148K	Conti Hybrid HT3 +	0532279	13,4	C	C	B	73	5.787,00	M+S
285/70 R 19.5	Winter	146/144M	Conti Scandinavia HS3	0513046	14,8	D	C	B	72	6.018,00	M+S
285/70 R 19.5	Winter	146/144M	Conti Scandinavia HD3	0523058	16,2	D	C	B	75	6.018,00	M+S
285/70 R 19.5	Winter	150/148K	Conti Scandinavia HT3	0532041	14,8	C	C	B	72	6.018,00	M+S
305/70 R 19.5	Regional	148/145M	Conti Hybrid HS3	0512482	14,3	C	B	A	70	7.108,00	M+S
305/70 R 19.5	Regional	148/145M	Conti Hybrid HD3	0522087	18,1	C	C	B	76	7.108,00	M+S
385/55 R 19.5	Regional	156J	Conti Hybrid HT3 +	0532238	13,8	B	C	A	70	9.267,00	M+S
435/50 R 19.5	Regional	160J	Conti Hybrid HT3 +	0532277	12,9	B	C	B	73	8.250,00	M+S
445/45 R 19.5	Regional	160J	Conti Hybrid HT3 +	0532276	12,9	B	C	B	73	9.031,00	M+S
445/45 R 19.5	Winter	160J	HTW2 Scandinavia	0533006	14,3	C	C	B	73	9.031,00	M+S
20 tommer											
10.00 R 20	Regional	146/143K	HSR	0412110	13,4	D	C	B	73	6.733,00	
12.00 R 20	Construction	154/151K	HSC	0515593	17,2	D	D	B	71	8.003,00	M+S
12.00 R 20	Construction	154/150K	HDC	0525150	20,1	E	C	B	76	8.003,00	M+S
14.00 R 20	Off Road	164/160K (166/160G)	HCS	0516058	20,1					13.764,00	M+S
14.00 R 20	Off Road	160/157K	HSO SAND	0516026	16,2					13.764,00	M+S
365/85 R 20	Off Road	164J	HCS	0516054	21,0					15.438,00	M+S
395/85 R 20	Off Road	168J (166K)	HCS	0515506	23,9					17.784,00	M+S
395/85 R 20	Off Road	168J (166K)	HCS	0516055	23,9					17.784,00	M+S

Størrelse	Anvendelse	LI/SI	Mønster	Artikel-nummer	Mønster dybde				dB	Kr.	Bemærkninger
22.5 tommer											
10 R 22.5	Regional	144/142K	HSR	0571263	13,4	D	C	A	70	7.214,00	
10 R 22.5	Winter	144/142K	RMS	0523074	16,2	D	C	B	74	7.502,00	M+S
10 R 22.5	Off Road	140/138K	T 9	0575260	16,0					7.791,00	M+S
11 R 22.5	Regional	148/145L	HSR	0512580	13,8	C	C	A	70	5.851,00	
11 R 22.5	Regional	148/145L	HDR	0522331	20,1	E	C	B	75	5.851,00	M+S
12 R 22.5	Regional	152/148L (150/148M)	Conti Hybrid HS3	0512857	14,8	C	C	A	70	7.189,00	M+S
12 R 22.5	Construction	152/148K	HSC1 ED	0515529	17,7	D	C	B	73	7.476,00	M+S
12 R 22.5	Construction	152/148K	HDC1	0525145	22,0	E	C	B	74	7.189,00	M+S
13 R 22.5	Regional	154/150L (156/150K)	HSR	0571520	14,8	D	C	A	70	7.239,00	
13 R 22.5	Winter	154/150K	HDW	0523048	19,1	E	C	B	74	7.228,00	M+S
13 R 22.5	Construction	156/150K	Conti CrossTrac HS3	0515327	17,7	D	B	A	70	7.830,00	M+S
13 R 22.5	Construction	156/150K	Conti CrossTrac HD3	0525220	21,0	E	C	B	75	7.830,00	M+S
13 R 22.5	Off Road	149/146J	HSO	0516044	19,1					7.506,00	M+S
13 R 22.5	Off Road	154/150G	HDO	0575253	21,0					7.506,00	M+S
295/80 R 22.5	Regional	154/149M	Conti EcoRegional HS3	0512575	15,0	C	B	A	70	7.750,00	M+S
295/80 R 22.5	Regional	154/149M	Conti Hybrid HS5	0512794	16,0	C	B	A	70	7.826,00	M+S
295/80 R 22.5	Regional	152/148M	HDR2+ ED	0522142	21,5	E	C	B	76	7.597,00	M+S
295/80 R 22.5	Regional	152/148M	Conti Hybrid HD5	0522558	19,1	D	B	B	76	7.826,00	M+S
295/80 R 22.5	Regional	152/148M	Conti Hybrid HD3	0565017	19,1	D	B	A	73	8.027,00	M+S
295/80 R 22.5	Urban	152/148J	HSU	0565528	18,1	D	C	A	70	7.436,00	
295/80 R 22.5	Coach	154/149M	Conti CoachRegio HD3	0521073	18,1	C	B	A	73	7.674,00	M+S
295/80 R 22.5	Coach	154/149M	Conti Coach HA3	0512870	14,5	B	B	A	70	7.674,00	M+S
295/80 R 22.5	Coach	154/149M	Conti CoachRegio HA3	0514114	15,0	C	B	A	71	7.674,00	M+S
295/80 R 22.5	Winter	154/149M	Conti Scandinavia HS3	0513057	16,2	C	B	B	72	7.902,00	M+S
295/80 R 22.5	Winter	154/149M	HSW2+ Coach	0513061	16,7	C	C	B	73	7.673,00	M+S
295/80 R 22.5	Winter	154/149M	HDW2 COACH	0523081	19,1	D	C	B	76	7.597,00	M+S
295/80 R 22.5	Winter	152/148M	Conti Scandinavia HD3	0523050	21,5	D	B	B	75	7.902,00	M+S
295/80 R 22.5	Construction	154/149K	Conti CrossTrac HS3	0515596	17,2	C	B	B	72	7.744,00	M+S
295/80 R 22.5	Construction	152/148K	Conti CrossTrac HD3	0525221	22,0	D	C	B	76	7.744,00	M+S
315/80 R 22.5	Long Distance	156/150L (154/150M)	Conti EcoPlus HS3 +	0511217	12,5	B	B	A	70	8.011,00	M+S
315/80 R 22.5	Long Distance	156/150L (154/150M)	Conti EcoPlus HD3 +	0521184	15,8	B	C	A	73	8.011,00	M+S
315/80 R 22.5	Regional	158/150L	HSR2	0512830	15,8	C	C	B	73	7.553,00	
315/80 R 22.5	Regional	156/150L (154/150M)	Conti Hybrid HS5	0512705	16,0	C	B	A	71	8.011,00	M+S
315/80 R 22.5	Regional	156/150L (154/150M)	Conti EcoRegional HS3+	0512709	15,0	B	B	A	70	8.092,00	M+S

Størrelse	Anvendelse	LI/SI	Mønster	Artikel-nummer	Mønster dybde				dB	Kr.	Bemærkninger
22.5 tommer											
315/80 R 22.5	Regional	156/150L (154/150M)	Conti Hybrid HS5	0565546	16,0	C	B	A	71	8.441,00	M+S
315/80 R 22.5	Regional	156/150L (154/150M)	Conti EcoRegional HD3+	0522486	19,6	C	C	A	73	8.092,00	M+S
315/80 R 22.5	Regional	156/150L (154/150M)	Conti Hybrid HD5	0522489	19,6	C	C	B	75	8.011,00	M+S
315/80 R 22.5	Regional	156/150L (154/150M)	Conti Hybrid HD5	0565548	19,6	C	C	B	75	8.441,00	M+S
315/80 R 22.5	Regional	156/150K	HTR	0532191	14,5	C	C	B	72	5.658,00	
315/80 R 22.5	Coach	156/150L (154/150M)	Conti Coach HA3	0512869	13,8	B	B	A	71	8.096,00	M+S
315/80 R 22.5	Winter	156/150L (154/150M)	Conti Scandinavia HS3	0513032	16,2	C	B	B	72	8.254,00	M+S
315/80 R 22.5	Winter	156/150L (154/150M)	HSW2+ Coach	0513062	16,7	C	C	B	73	7.937,00	M+S
315/80 R 22.5	Winter	156/150L (154/150M)	Conti Scandinavia HD3	0523051	21,5	D	B	B	75	8.254,00	M+S
315/80 R 22.5	Construction	156/150K	Conti CrossTrac HS3	0515540	16,7	C	B	B	72	7.857,00	M+S
315/80 R 22.5	Construction	156/150K	HSC1	0525030	18,1	D	C	B	73	7.555,00	M+S
315/80 R 22.5	Construction	156/150K	Conti CrossTrac HD3	0525078	21,5	D	B	B	76	7.857,00	M+S
315/80 R 22.5	Construction	156/150K	HDC1	0525143	22,0	D	C	B	74	7.555,00	M+S
315/80 R 22.5	Construction	156/150K	HDC1	0525147	22,0	D	C	B	74	7.555,00	M+S
315/80 R 22.5	Off Road	156/150G	HDO	0575716	21,0					7.754,00	M+S
275/70 R 22.5	Regional	148/145M	Conti Hybrid HS3	0511102	13,8	C	B	A	69	6.781,00	M+S
275/70 R 22.5	Regional	148/145M	Conti Hybrid HD3	0522591	17,2	D	C	A	73	6.781,00	M+S
275/70 R 22.5	Urban	150/145J (152/148E)	Conti Urban Scandinavia HD3	0565022	18,0	D	C	B	75	7.405,00	M+S
275/70 R 22.5	Urban	152/148J	Conti Urban HA3	0565527	18,0	D	C	B	71	7.201,00	
275/70 R 22.5	Urban	152/148J	Conti Urban HA3	0565538	19,4	D	C	A	70	7.201,00	M+S
275/70 R 22.5	Winter	148/145M	HDW2 Scandinavia	0523031	18,1	E	C	B	75	6.780,00	M+S
275/70 R 22.5	Construction	148/145J	HTC	0535048	16,2	E	C	B	76	6.445,00	M+S
305/70 R 22.5	Regional	152/148L (150/148M)	HSR1	0571307	14,3	C	B	A	70	7.454,00	
305/70 R 22.5	Regional	150/148M	HDR	0522346	18,1	D	C	B	75	7.454,00	M+S
305/70 R 22.5	Urban	156/154K	Conti Urban HA3	0565526	18,1	C	C	A	71	8.183,00	M+S
315/70 R 22.5	Long Distance	156/150L (154/150M)	Conti EcoPlus HS3 +	0511208	12,5	B	B	A	71	7.927,00	M+S
315/70 R 22.5	Long Distance	156/150L (154/150M)	Conti EfficientPro S+	0511241	9,1	A	C	A	70	8.466,00	M+S
315/70 R 22.5	Long Distance	154/150L (152/148M)	Conti EcoPlus HD3 +	0521163	14,8	B	C	A	73	7.927,00	M+S
315/70 R 22.5	Long Distance	154/150L (152/148M)	Conti EfficientPro D+	0521216	13,1	A	C	A	73	8.466,00	M+S
315/70 R 22.5	Regional	156/150L (154/150M)	Conti Hybrid HS5	0512627	15,0	C	B	A	70	7.927,00	M+S
315/70 R 22.5	Regional	156/150L (154/150M)	Conti EcoRegional HS3+	0512708	14,0	B	B	A	70	8.007,00	M+S
315/70 R 22.5	Regional	154/150L (152/148M)	Conti Hybrid HD5	0522444	18,6	C	C	B	76	7.927,00	M+S
315/70 R 22.5	Regional	154/150L (152/148M)	Conti EcoRegional HD3+	0522485	18,6	C	C	A	73	8.007,00	M+S
315/70 R 22.5	Regional	154/150L (152/148M)	Conti Hybrid HD5	0565513	18,6	C	C	B	76	8.357,00	M+S
315/70 R 22.5	Winter	156/150L (154/150M)	Conti Scandinavia HS3	0513031	15,3	C	B	B	72	8.004,00	M+S

Størrelse	Anvendelse	LI/SI	Mønster	Artikelnummer	Mønster dybde				dB	Kr.	Bemærkninger
22.5 tommer											
315/70 R 22.5	Winter	154/150L (152/148M)	Conti Scandinavia HD3	0523047	21,5	D	B	B	75	8.004,00	M+S
315/70 R 22.5	Winter	154/150L (152/148M)	Conti ScandinaviaExtreme HD3	0523054	21,5	D	D	A	73	8.158,00	M+S
385/65 R 22.5	Long Distance	160K (158L)	Conti EcoPlus HS3 +	0511211	12,0	B	B	A	70	8.414,00	M+S
385/65 R 22.5	Long Distance	160K (158L)	Conti EcoPlus HT3 +	0531087	13,8	A	C	A	70	7.555,00	M+S
385/65 R 22.5	Regional	164K	Conti Hybrid HS5	0512706	15,5	C	B	A	71	8.331,00	M+S
385/65 R 22.5	Regional	164K	Conti EcoRegional HS3+	0512711	14,5	B	B	A	71	8.415,00	M+S
385/65 R 22.5	Regional	164K	Conti Hybrid HS5	0565547	15,5	C	B	A	71	8.760,00	M+S
385/65 R 22.5	Regional	164K	Conti Hybrid HT3	0532196	15,8	C	B	B	73	7.629,00	M+S
385/65 R 22.5	Regional	164K	Conti Hybrid HT3 +	0532296	15,8	B	C	A	70	7.409,00	M+S
385/65 R 22.5	Regional	164K	Conti Hybrid HT3 +	0565544	15,8	B	C	A	70	7.765,00	M+S
385/65 R 22.5	Regional	160K (158L)	Conti Hybrid HT3	0532299	15,8	C	C	B	73	7.409,00	M+S
385/65 R 22.5	Winter	164K (158L)	Conti Scandinavia HS3	0513033	16,2	C	B	B	74	8.411,00	M+S
385/65 R 22.5	Winter	164K (158L)	Conti Scandinavia HT3	0533012	16,2	C	B	B	74	7.629,00	M+S
385/65 R 22.5	Construction	164K	Conti CrossTrac HS3	0515335	16,2	C	B	B	72	8.156,00	M+S
385/65 R 22.5	Construction	160K (158L)	Conti CrossTrac HS3	0515328	16,2	C	B	B	72	8.075,00	M+S
385/65 R 22.5	Construction	164J (162K)	HDC	0525214	17,2	D	C	B	75	7.764,00	M+S
385/65 R 22.5	Construction	160K	HTC1	0532188	17,2	D	B	B	73	7.476,00	M+S
385/65 R 22.5	Construction	160K (158L)	Conti CrossTrac HT3	0535054	16,2	C	A	B	72	7.476,00	M+S
425/65 R 22.5	Regional	165K	HTR2	0532189	14,3	B	C	B	73	10.237,00	M+S
425/65 R 22.5	Construction	165K	HTC	0535040	16,2	C	C	B	74	10.647,00	M+S
445/65 R 22.5	Regional	169K	HTR2	0532194	16,7	C	C	B	73	11.047,00	
445/65 R 22.5	Construction	169K	HTC1	0535019	17,7	C	C	B	74	11.489,00	M+S
445/65 R 22.5	Off Road	169K	HCS	0516066	21,0					12.050,00	M+S
295/60 R 22.5	Long Distance	150/147L	Conti EcoPlus HS3	0511167	11,9	C	B	A	69	7.904,00	M+S
295/60 R 22.5	Long Distance	150/147L	Conti EcoPlus HD3 +	0521188	18,6	C	C	A	73	7.904,00	M+S
295/60 R 22.5	Regional	150/147L	Conti Hybrid HD3	0522557	18,6	D	C	A	73	7.674,00	M+S
295/60 R 22.5	Regional	150/147L	Conti Hybrid HD3	0565025	19,0	C	B	A	73	8.103,00	M+S
295/60 R 22.5	Winter	150/147L	HDW2 Scandinavia	0523033	18,6	D	C	B	75	7.673,00	M+S
315/60 R 22.5	Long Distance	154/150L	Conti EcoPlus HS3 +	0511218	12,0	C	C	A	70	8.669,00	M+S
315/60 R 22.5	Long Distance	154/150L	Conti EcoPlus HS3 +	0511219	12,0	B	C	A	70	8.669,00	M+S
315/60 R 22.5	Long Distance	152/148L	HSL2+ ECO-PLUS	0511045	12,9	C	B	A	70	8.335,00	
315/60 R 22.5	Long Distance	152/148L	Conti EcoPlus HD3 +	0521185	17,7	B	C	A	73	8.669,00	M+S
315/60 R 22.5	Regional	152/148L	Conti Hybrid HD3	0521088	18,6	C	B	A	73	8.416,00	M+S
315/60 R 22.5	Regional	152/148L	Conti Hybrid HD3	0522589	18,6	C	C	A	73	8.416,00	M+S
315/60 R 22.5	Regional	152/148L	Conti Hybrid HD3	0565016	18,6	C	B	A	73	8.846,00	M+S

Størrelse	Anvendelse	LI/SI	Mønster	Artikelnummer	Mønsterdybde				dB	Kr.	Bemærkninger
22.5 tommer											
315/60 R 22.5	Urban	156/150J	Conti Urban HA3	0514122	13,0	C	C	A	71	8.500,00	M·S
315/60 R 22.5	Urban	152/148J (154/150E)	Conti Urban HA3	0565522	12,9	C	C	A	71	8.853,00	M·S
315/60 R 22.5	Winter	154/150L	HSW2 Scandinavia	0513011	13,4	C	C	B	73	8.500,00	M·S
315/60 R 22.5	Winter	152/148L	HDW2 Scandinavia	0523032	18,6	D	C	B	75	8.416,00	M·S
295/55 R 22.5	Long Distance	147/145K	Conti EcoPlus HD3 +	0521186	16,4	C	C	A	73	9.273,00	M·S
295/55 R 22.5	Regional	147/145K	Conti Hybrid HD3	0522586	17,0	C	C	A	73	9.003,00	M·S
385/55 R 22.5	Long Distance	160K (158L)	Conti EcoPlus HS3 +	0511209	12,0	B	B	A	71	8.486,00	M·S
385/55 R 22.5	Long Distance	160K (158L)	Conti EfficientPro S+	0511242	9,1	A	C	A	71	9.062,00	M·S
385/55 R 22.5	Long Distance	160K (158L)	Conti EcoPlus HT3 +	0531086	11,5	A	C	A	70	7.914,00	M·S
385/55 R 22.5	Regional	160K (158L)	Conti Hybrid HS5	0512700	14,5	C	B	B	73	8.659,00	M·S
385/55 R 22.5	Regional	160K (158L)	Conti EcoRegional HS3+	0512710	13,5	B	B	A	71	8.746,00	M·S
385/55 R 22.5	Regional	160K (158L)	Conti Hybrid HT3	0532229	15,8	C	B	B	71	7.914,00	M·S
385/55 R 22.5	Regional	160K (158L)	Conti Hybrid HT3 +	0532239	13,8	B	C	A	70	7.683,00	M·S
385/55 R 22.5	Urban	160K	H DU1	0565523	17,7	C	C	A	69	9.693,00	M·S
385/55 R 22.5	Winter	160K (158L)	Conti Scandinavia HS3	0513047	15,3	C	B	B	73	8.743,00	M·S
385/55 R 22.5	Winter	160K (158L)	Conti Scandinavia HT3	0533011	16,2	D	B	B	74	8.231,00	M·S
385/55 R 22.5	Construction	158K (160J)	HDC	0525165	16,2	D	C	B	76	8.070,00	M·S
355/50 R 22.5	Long Distance	156K	Conti EcoPlus HS3	0511170	12,6	C	C	A	70	9.051,00	M·S
355/50 R 22.5	Winter	156K	HSW2 Scandinavia	0513072	13,8	C	C	B	73	8.875,00	M·S
315/45 R 22.5	Long Distance	147/145L	Conti EcoPlus HD3	0521025	17,7	D	C	B	76	8.886,00	M·S
315/45 R 22.5	Long Distance	147/145L	Conti EcoPlus HD3	0565029	17,5	D	C	B	76	9.315,00	M·S
325/95 R 24	Construction	162/160K	HDC1	0525189	21,0	C	C	B	74	9.966,00	M·S

Continental Dæk Danmark A/S

Banemarksvej 50E, 1
DK - 2605 Brøndby
Hovednummer: +45 43 23 04 00
www.continental-daek.dk

Ordremodtagelse / Administration

Telefon +45 43 23 04 10
Mail (ordre): co_cod@conti.de